




Stocking Warehouse (Anaheim)
2540 E. Miraloma Way
Anaheim, Ca. 92806

Manufacturing (Corona)
1693 Rimpau Ave.
Corona, Ca. 92881


PH: 714-422-0760
Fax: 714-632-1685



MANUFACTURED BY AIR HANDLERS SUPPLY





 Rectangular Duct &
Fittings Spiral Pipe & Fittings



 Welded Duct & Fittings
Industrial Fabrication



All available in Galvanized, Aluminum, Stainless, Paintlock & Black iron

Stock Accessories



Distributors of

- ✓ KD Pipe 3' Lengths / Conductor Pipe 10'
- ✓ Short Radius Adjustable 90° & 45 ° Elbows
- ✓ Flexible Duct 6' Silver RF.2/R8 – Flex Duct 25' Silver R4.2/R8
- ✓ Aluminum Flex Bare 6' Lengths
- ✓ Aluminum Flex Insulated Silver 6' Lengths R4.2
- ✓ Start Collars • Spin-in Collars • Storm Collars • Jiffy Dampers
- ✓ Return Air Cans • Round Neck Adaptors • Ceiling Boxes • Floor Boxes
- ✓ Conductor Flashing • T-Top Flashing
- ✓ T-wyes, Reducers and Saddle Taps
- ✓ Hanger Strap Rolls 1-1/2" • Nylon Ties 36" & 48"



DuraVent
Member of M&G Group



2540 E. Miraloma Way
Anaheim, Ca. 92806

1693 Rimpau Ave
Corona, Ca. 92881

PH: 714-422-0760

Fax: 714-632-1685

Who's, Who

MANAGEMENT:

Mike Lanphere

Rob Snyder

Tamarra Frisbey

Josh Riddle

General Manager

Branch Manager (Anaheim)

Office Manager (Anaheim)

Warehouse Manager (Anaheim)

mike@airhsi.com

rob@airhsi.com

tamarra@airhsi.com

josh@airhsi.com

Outside Sales:

Mike Lanphere

Duane Kennedy

mike@airhsi.com

duane@airhsi.com

Sales Department

Chris Lanphere

Lorena Biedra

Zach Lolli

Estimating & Sales

Estimating & Sales

Estimation & Sales

clanphere@airhsi.com

lorena@airhsi.com

zach@airhsi.com



Manufacturing

Del Mora

Mike Biedra

Shop Supervisor (Corona)

Inputter (Corona)

dmora@airhsi.com

mikeb@airhsi.com



Table of Contents


Nailor Industries Air Distribution.....	1-11
Nailor Industries Fire/ Smoke Dampers.....	12
Nailor Industries Air Terminal Units.....	13-15
Spiral Ducts.....	16-17
Aluminum Flex.....	18
KD & Conductor Pipe.....	19
Quietflex Flexible Duct.....	20-21
Elbows.....	22-25
Twyes & Saddle Taps.....	26-29
Register Boxes & Round Neck Adaptors.....	30-31
Reducers & Tapers.....	32
Collars.....	33
Volume Dampers.....	34
Flashing.....	35
Round End Caps & Eyebrows.....	36
Hanger Straps.....	37
Ceiling Wires.....	38
Broan Ceiling Fans.....	39
M&G Duravent Type B Gas Vent.....	40-42
Duct Access Doors.....	43
Duct Smoke Detectors & Stat Wire.....	44
Sealers & Tapes.....	45
Zip & Tek Screws.....	46
Strut & Hardware.....	47
Tools & Paints.....	48
Duct Wrap.....	49



Lay In Perforated Curved Blade Supply Diffuser (2x2)
w/ Appliance White Finish (Round Neck)
Nailor model# 4320CB

Available Stock Sizes


400-0600	06"
400-0800	08"
400-1000	10"
400-1200	12"
400-1400	14"
400-1600	16"
400-1800	18"



Lay In Perforated Return (2x2)
w/ Appliance White Finish (Round Neck)
Nailor model# 4360

Available Stock Sizes

404-0600	06"
404-0800	08"
404-1000	10"
404-1200	12"
404-1400	14"
404-1600	16"
404-1800	18"
406-2210	22x10
406-2222	22x22
406-4622	46x22



Lay In (Non Ducted) Perforated Return
w/ Appliance White Finish

Available Stock Sizes

407-1224	12x24
407-2424	24x24





Lay in Fine Line Perforated Curved Blade Supply Diffuser (2x2)

w/ Appliance White Finish (Round Neck)

Nailor model# 4320CBF

Available Stock Sizes

401-0600	06"
401-0800	08"
401-1000	10"
401-1200	12"
401-1400	14"
401-1600	16"
401-1800	18"




Lay in Fine Line Perforated Return (2x2)

w/ Appliance White Finish (Round Neck)

Nailor model# 4360F

Available Stock Sizes

405-0600	06"
405-0800	08"
405-1000	10"
405-1200	12"
405-1400	14"
405-1600	16"
405-1800	18"



Lay in Fine Line (Non Ducted) Perforated Return (2x2)

w/ Appliance White Finish

Nailor model# 4302F

Available Stock Sizes

407-2424F	24x24
-----------	-------





Lay In Square Cone Supply Diffuser (2x2)

w/ Appliance White Finish

Nailor model# RNS3

Available Stock Sizes

408-0600	06"
408-0800	08"
408-1000	10"
408-1200	12"
408-1400	14"




Lay In Modular Core Supply Diffuser (2x2)

w/ Appliance White Finish

Nailor model# 7500-L

Available Stock Sizes

409-0606	06x06
409-0808	08x08
409-1010	10x10
409-1212	12x12
409-1414	14x14
409-1616	16x16
409-1818	18x18



Lay in Plaque Style Supply Diffuser (2x2)

w/ Appliance White Finish

Nailor model# UNI-L

Available Stock Sizes

410-0600	06"
410-0800	08"
410-1000	10"
410-1200	12"
410-1400	14"





Double Deflection Supply Register w/OBD
Individual Adjustable Blades-3/4" Spacing
Steel Construction w/ Appliance White Finish
Nailor model# 61DV-O

Available Stock Sizes

414-0804	08x04
414-0806	08x06
414-0808	08x08
414-1004	10x04
414-1006	10x06
414-1008	10x08
414-1010	10x10
414-1206	12x06
414-1208	12x08
414-1210	12x10
414-1212	12x12
414-1406	14x06
414-1408	14x08
414-1410	14x10
414-1412	14x12
414-1414	14x14
414-1606	16x06
414-1608	16x08
414-1610	16x10
414-1612	16x12

414-1614	16x14
414-1616	16x16
414-1806	18x06
414-1808	18x08
414-1810	18x10
414-1812	18x12
414-1814	18x14
414-1816	18x16
414-1818	18x18
414-2004	20x04
414-2006	20x06
414-2008	20x08
414-2010	20x10
414-2012	20x12
414-2014	20x14
414-2016	20x16
414-2018	20x18
414-2020	20x20
414-2406	24x06
414-2408	24x08

414-2410	24x10
414-2412	24x12
414-2414	24x14
414-2416	24x16
414-2418	24x18
414-3006	30x06
414-3008	30x08
414-3010	30x10
414-3012	30x12
414-3014	30x14
414-3016	30x16
414-3018	30x18
414-3020	30x20
414-3606	36x06
414-3608	36x08
414-3610	36x10
414-3612	36x12
414-3614	36x14
414-3616	36x16
414-3618	36x18



Modular Core Surface Mount Supply Diffuser
w/ Appliance White Finish
Nailor model# 7500-BS

Available Stock Sizes

415-0606	06x06
415-0808	08x08
415-1010	10x10
415-1212	12x12
415-1414	14x14
415-1616	16x16
415-1818	18x18
415-2020	20x20
415-2222	22x22
415-2424	24x24



Round 2 Position Ceiling Diffuser
w/ Appliance White Finish
Nailor model# RNR

Available Stock Sizes

420-0600	06"
420-0800	08"
420-1000	10"
420-1200	12"
420-1400	14"
420-1600	16"
420-1800	18"
420-2000	20"





45 Degree Stationary Bar Type Return Grille
3/4" Bar Spacing w/ Appliance White Finish
Nailor model# 6145H

Available Stock Sizes

416-0606	06x06	416-1612	16x12	416-2410	24x10	416-3616	36x16
416-0804	08x04	416-1614	16x14	416-2412	24x12	416-3618	36x18
416-0806	08x06	416-1616	16x16	416-2414	24x14	416-3620	36x20
416-0808	08x08	416-1806	18x06	416-2416	24x16	416-3624	36x24
416-1004	10x04	416-1808	18x08	416-2418	24x18	416-4810	48x10
416-1006	10x06	416-1810	18x10	416-2420	24x20	416-4812	48x12
416-1008	10x08	416-1812	18x12	416-2424	24x22	416-4814	48x14
416-1010	10x10	416-1814	18x14	416-3006	30x06	416-4816	48x16
416-1204	12x04	416-1816	18x16	416-3008	30x08	416-4818	48x18
416-1206	12x06	416-1818	18x18	416-3010	30x10	416-4824	48x24
416-1208	12x08	416-2006	20x06	416-3012	30x12		
416-1210	12x10	416-2008	20x08	416-3014	30x14		
416-1212	12x12	416-2010	20x10	416-3016	30x16		
416-1406	14x06	416-2012	20x12	416-3018	30x18		
416-1408	14x08	416-2014	20x14	416-3020	30x20		
416-1410	14x10	416-2016	20x16	416-3024	30x24		
416-1412	14x12	416-2018	20x18	416-3606	26x06		
416-1414	14x14	416-2020	20x20	416-3608	36x08		
416-1606	16x06	416-2222	22x22	416-3610	36x10		
416-1608	16x08	416-2406	24x06	416-3612	36x12		
416-1610	16x10	416-2408	24x08	416-3614	36x14		



45 Degree Stationary Bar Type Filtered Return
3/4" Bar Spacing-1" Filter Rack w/ Appliance White
Finish
Nailor model# 61FB45

Available Stock Sizes

417-0100	20x20
417-0200	24x14
417-0300	24x16
417-0400	24x24
417-0500	30x14
417-0600	30x16
417-0700	30x20



Lay In (2x2) 45 Degree Stationary Bar Type Filtered Return
3/4" Bar Spacing-1" Filter Rack w/ Appliance White
Finish
Nailor model# 61FB45


Available Stock Sizes

417-0800	20x20
----------	-------

Lay In (2x2) Perforated Filtered Return
1" Filter Rack w/ Appliance White Finish
Nailor model# 61P

Available Stock Sizes

417-0900	20x20
----------	-------






Eggcrated Return Grille 1/2"x1/2"x1/2'
Surface Mount w/ Appliance White Finish
Nailor model# 61EC

Available Stock Sizes

418-0606	06x06
418-0808	08x08
418-1010	10x10
418-1212	12x12
418-1414	14x14
418-1616	16x16
418-1818	18x18
418-2020	20x20
418-2222	22x22
418-2424	24x24



Eggcrated Return Grille 1/2"x1/2"x1/2'
Lay In w/ Appliance White Finish
Nailor model# 61EC

Available Stock Sizes

412-2210	22x10 NSH
412-2222	22x22 NSH
412-4622	46x22 NSH





Linear Slot Diffuser-2 Slot x 1"
w/ Appliance White Finish & Black Tongs
Nailor model# 5010

Available Stock Sizes		D
419-0100	1"x2 Slot x 48"	4 1/4"
419-0200	1"x2 Slot End Border	




Flange Frame / Concealed Mounting



Linear Slot Diffuser Plenum (No Collar)
w/ 1/2" Liner
Nailor model# 5310I

Available Stock Sizes		W
419-0300	1" x 2 Slot x 48"	4 1/4"





Square Opposed Blade Dampers

Nailor model# OBD-S or L

Available Stock Sizes

421-0606	06x06
421-0808	08x08
421-1010	10x10
421-1212	12x12
421-1414	14x14
421-1616	16x16
421-1818	18x18
421-2020	20x20
421-2222	22x22



Round Butterfly Dampers

Nailor model# 4275

Available Stock Sizes

422-0600	06"
422-0800	08"
422-1000	10"
422-1200	12"
422-1400	14"







Plaster Frames

Available Stock Sizes

423-0100	Plaster Frame 24x24
423-0200	Plaster Frame 12x12



TYPICAL INSTALLATION





Nailor Industries: Combination Fire/ Smoke Damper
Model# 1271 (Horizontal & Vertical Installation)

Qualifications:

- * UL 555 & Cab/ULC-S112 Classified Dynamic Fire Damper
1 11/2 hr. Label (File# R9492)
- * UL 555S Classified Smoke Damper (File# R9492)
- Leakage Class I or II at 250°F or 350°F Elevated Temperature
- * California State Fire Marshall: Fire Damper Listing# 3225-0935:106
- * City of New York Board of Standards and Appeals. Cal. No. 460-88-SA
- * Meets NFPA 80, 90A, 92A, 92B 101 and 105 as well as IBC and NBC
(Canada) Building Code Requirements.
- * Maximum velocity 2000 fpm @ 4" w.g.

Standard Specifications:

Frame: 5" x 7/8" x 16 ga galvanize steel hat channel.

Blades: 6" wide on 5 1/2" center. 16 ga galvanized steel vee groove or double-skin design.

Linkage: Concealed in frame. 12 ga. Plated steel

Bearings: 1/2" dia. Self-lubricated oilite bronze.

Axles: 1/2" dia. Plated steel bolted to blades


Jackshaft: 1/2" dia. Cadmium plated steel

Jamb Seals: Stainless steel

Blade Seals: Silicone on vee groove blade.

Heat Responsive device (Controlled Closure)

ERL (Electric Resettable Link) is standard on dampers with electric actuators: 250°F standard.




Available Stock Sizes (Vertical & Horizontal)

500-0808	Dampers, Fire/Smoke 08x08
500-1010	Dampers, Fire/Smoke 10x10
500-1212	Dampers, Fire/Smoke 12x12
500-1414	Dampers, Fire/Smoke 14x14
500-1616	Dampers, Fire/Smoke 16x16
500-1818	Dampers, Fire/Smoke 18x18
500-2020	Dampers, Fire/Smoke 20x20

Available Stock Sizes

501-0808	Dampers, FSD Angle 08x08 (1 Side)
501-1010	Dampers, FSD Angle 10x10 (1 Side)
501-1212	Dampers, FSD Angle 12x12 (1 Side)
501-1414	Dampers, FSD Angle 14x14 (1 Side)
501-1616	Dampers, FSD Angle 16x16 (1 Side)
501-1818	Dampers, FSD Angle 18x18 (1 Side)
501-2020	Dampers, FSD Angle 20x20 (1 Side)



Nailor Industries Single Duct Terminal Unit
Nailor model# D3100 (Digital) Controls By Others

Standard Features:

*22 ga Zinc coated steel casing, Mechanically sealed, low leakage construction. Leakage is less than 1% of the terminal rated airflow at 1" w.g.

* 2 x 20 ga. Round laminated butterfly damper with a polyurethane peripheral gasket. 90° rotation, CW to close. Tight shut-off. Damper leakage is less than 1% of the terminal rated airflow at 3" w.g. and less than 2% at 6" w.g. as tested in accordance with ANSI/ ASHRAE Standard 130.

* 1/2" dia. Plated steel drive shaft. An indicator mark on the end of the shaft shows damper position.

* Multi-point averaging Diamond Flow Sensor. Aluminum construction. Supplied with balancing tees.

* Rectangular discharge with slip and drive cleat duct connection


* Full NEMA 1 type low voltage controls enclosure for field mounted controls

* 3/4" dual density insulation, exposed edges coated to prevent air erosion. Meets the requirements of NFPA 90A and UL 181.

* Right-hand controls location is standard.

* Unit sizes 4-16 feature round inlet collars

		Size	CFM Range	W	H	D
600-0600	Single Duct VAV	6	0-450	12	8	5 7/8
600-0800	Single Duct VAV	8	0-900	12	10	7 7/8
600-1000	Single Duct VAV	10	0-1500	14	12 1/2	9 7/8
600-1200	Single Duct VAV	12	0-2050	16	15	11 7/8
600-1400	Single Duct VAV	14	0-2740	20	17 1/2	13 7/8
600-1600	Single Duct VAV	16	0-3680	24	18	15 7/8



Nailor Industries Single Duct Terminal Unit
Nailor model# P3101 (Pneumatic)

Standard Features:

* 22 ga Zinc coated steel casing, Mechanically sealed, low leakage construction. Leakage is less than 1% of the terminal rated airflow at 1" w.g.

* 2 x 20 ga. Round laminated butterfly damper with a polyurethane peripheral gasket. 90° rotation, CW to close. Tight shut-off. Damper leakage is less than 1% of the terminal rated airflow at 3" w.g. and less than 2% at 6" w.g. as tested in accordance with ANSI/ ASHRAE Standard 130.

* 1/2" dia. Plated steel drive shaft. An indicator mark on the end of the shaft shows damper position.

* Multi-point averaging Diamond Flow Sensor. Aluminum construction. Supplied with balancing tees.

* Rectangular discharge with slip and drive cleat duct connection

* Full NEMA 1 type low voltage controls enclosure for field mounted controls

* 3/4" dual density insulation, exposed edges coated to prevent air erosion. Meets the requirements of NFPA 90A and UL 181.

* Right-hand controls location is standard.

* Unit sizes 4-16 feature round inlet collars

		Size	CFM	W	H	D
601-0600	Single Duct VAV	6	0-450	12	8	5 7/8
601-0800	Single Duct VAV	8	0-900	12	10	7 7/8
601-1000	Single Duct VAV	10	0-1500	14	12 1/2	9 7/8
601-1200	Single Duct VAV	12	0-2050	16	15	11 7/8
601-1400	Single Duct VAV	14	0-2740	20	17 1/2	13 7/8
601-1600	Single Duct VAV	16	0-3680	24	18	15 7/8



Nailor Air Terminal Unit Hot Water Coils (1 Row & 2 row)

<u>Available Stock Sizes</u>		H	W
602-0600	Hot Water Coil 1 Row 06	12	8
602-0800	Hot Water Coil 1 Row 08	12	10
602-1000	Hot Water Coil 1 Row 10	14	12 1/2
602-1200	Hot Water Coil 1 Row 12	16	15
602-1400	Hot Water Coil 1 Row 14	20	17 1/2
602-1600	Hot Water Coil 1 Row 16	24	18
602-2416	Hot Water Coil 1 Row 24"x16"	38	18

		H	W
603-0600	Hot Water Coil 2 Row 06	12	8
603-0800	Hot Water Coil 2 Row 08	12	10
603-1000	Hot Water Coil 2 Row 10	14	12 1/2
603-1200	Hot Water Coil 2 Row 12	16	15
603-1400	Hot Water Coil 2 Row 14	20	17 1/2
603-1600	Hot Water Coil 2 Row 16	24	18
603-2416	Hot Water Coil 2 Row 24"x16"	38	18

**3' Air Terminal Unit Sound Attenuator w/
s&d connection & 1" liner**

<u>Available Stock Sizes</u>		H	W
604-0600	Attenuator for 06" ATU	12	8
604-0800	Attenuator for 08" ATU	12	10
604-1000	Attenuator for 10" ATU	14	12 1/2
604-1200	Attenuator for 12" ATU	16	15
604-1400	Attenuator for 14" ATU	20	17 1/2
604-1600	Attenuator for 16" ATU	24	18

**Air Terminal Unit Sound Attenuator End Cap
w/ 1" liner**

<u>Available Stock Sizes</u>		H	W
605-0600	Attenuator End Cap 06" ATU	12	8
605-0800	Attenuator End Cap 08" ATU	12	10
605-1000	Attenuator End Cap 10" ATU	14	12 1/2
605-1200	Attenuator End Cap 12" ATU	16	15
605-1400	Attenuator End Cap 14" ATU	20	17 1/2
605-1600	Attenuator End Cap 16" ATU	24	18



Construction: A smooth, high-strength duct constructed with air-tight spiral 4-ply lock seam. Thickness from 18ga (.0516) to 26ga (.0217) for medium and high-pressure-high-velocity duct systems.

Material: G90 galvanized ASTM-A-653 lock forming quality.

(Available in Stainless Steel 304L-2B, Aluminum 3003H14, Paintlock & PVC)

Available Stock Sizes in 7.5' & 10' Lengths

100-0475	04"x7.5' 26ga	100-0410	04"x10' 26ga
100-0575	05"x7.5' 26ga	100-0510	05"x10' 26ga
100-0675	06"x7.5' 26ga	100-0610	06"x10' 26ga
100-0775	07"x7.5' 26ga	100-0710	07"x10' 26ga
100-0875	08"x7.5' 26ga	100-0810	08"x10' 26ga
100-0975	09"x7.5' 26ga	100-0910	09"x10' 26ga
100-1075	10"x7.5' 26ga	100-1010	10"x10' 26ga
100-1275	12"x7.5' 26ga	100-1210	12"x10' 26ga
100-1475	14"x7.5' 26ga	100-1410	14"x10' 26ga
100-1675	16"x7.5' 26ga	100-1610	16"x10' 26ga
100-1875	18"x7.5' 26ga	100-1810	18"x10' 26ga
100-2075	20"x7.5' 26ga	100-2010	20"x10' 26ga
100-2275	22"x7.5' 26ga	100-2210	22"x10' 26ga
100-2475	24"x7.5' 26ga	100-2410	24"x10' 26ga
100-2675	26"x7.5' 24ga	100-2610	26"x10' 24ga
100-2875	28"x7.5' 24ga	100-2810	28"x10' 24ga

Custom lengths & sizes available upon request.



R4.2 & R8 Wrap Spiral Pipe



Construction: A smooth, high-strength duct constructed with air-tight spiral 4-ply seam. Thickness of 26ga & 24ga for medium and high-pressure/ high-velocity duct systems.

Insulation: R4.2 or R8 blanket of fiberglass insulation with green guard certification then sheathed with a U.L. class 1 rated polyethylene vapor barrier jacket (flame-less than 25/ smoke-less than 50)

Scim: A fiberglass threaded mesh

R4.2 Wrapped Spiral Pipe

101-0690	06"x7.5' 26ga
101-0790	07"x7.5' 26ga
101-0890	08"x7.5' 26ga
101-0990	09"x7.5' 26ga
101-1090	10"x7.5' 26ga
101-1290	12"x7.5' 26ga
101-1490	14"x7.5' 26ga
101-1690	16"x7.5' 24ga
101-1890	18"x7.5' 24ga
101-2090	20"x7.5' 24ga
101-2290	22"x7.5' 24ga
101-2490	24"x7.5' 24ga

R8 Wrapped Spiral Pipe

102-0690	06"x7.5' 26ga
102-0790	07"x7.5' 26ga
102-0890	08"x7.5' 26ga
102-0990	09"x7.5' 26ga
102-1090	10"x7.5' 26ga
102-1290	12"x7.5' 26ga
102-1490	14"x7.5' 26ga
102-1690	16"x7.5' 24ga
102-1890	18"x7.5' 24ga
102-2090	20"x7.5' 24ga
102-2290	22"x7.5' 24ga



Bare Aluminum Flex

Available Stock Sizes

103-0003	03"x10' raw/ raw
103-0004	04"x10' raw/ raw
103-0005	05"x6' Male/ Female Collar
103-0006	06"x6' Male/ Female Collar
103-0007	07"x6' Male/ Female Collar
103-0008	08"x6' Male/ Female Collar
103-0009	09"x6' Male/ Female Collar
103-0010	10"x6' Male/ Female Collar
103-0012	12"x6' Male/ Female Collar
103-0014	14"x6' Male/ Female Collar



R4.2 Insulated Aluminum Flex

Available Stock Sizes

104-0005	05"x6' Male/ Female Collar
104-0006	06"x6' Male/ Female Collar
104-0007	07"x6' Male/ Female Collar
104-0008	08"x6' Male/ Female Collar
104-0009	09"x6' Male/ Female Collar
104-0010	10"x6' Male/ Female Collar
104-0012	12"x6' Male/ Female Collar
104-0014	14"x6' Male/ Female Collar
104-0016	16"x6' Male/ Female Collar
104-0018	18"x6' Male/ Female Collar
104-0020	20"x6' Male/ Female Collar



**Special Orders Available for
R6 & R8 Insulation**



KD Pipe x 3" C/R

Available Stock Sizes

105-0003	03" 26ga
105-0004	04" 26ga
105-0005	05" 26ga
105-0006	06" 26ga
105-0007	07" 26ga
105-0008	08" 26ga
105-0009	09" 26ga
105-0010	10" 26ga
105-0012	12" 26ga
105-0014	14" 26ga
105-0016	16" 24ga
105-0018	18" 24ga
105-0020	20" 24ga
105-0022	22" 24ga
105-0024	24" 24ga



Conductor Pipe x 10' 26ga C/R

Available Stock Sizes

106-0003	03"
106-0004	04"





Flexible Duct 25' R4.2

Available Stock Sizes

200-0500	05"
200-0600	06"
200-0700	07"
200-0800	08"
200-0900	09"
200-1000	10"
200-1200	12"
200-1400	14"
200-1600	16"
200-1800	18"
200-2000	20"



Flexible Duct 25' R8

Available Stock Sizes

204-0500	06"
204-0600	06"
204-0700	07"
204-0800	08"
204-0900	09"
204-1000	10"
204-1200	12"
204-1400	14"
204-1600	16"
204-1800	18"
204-2000	20"



Flex Duct 5' with collars R4.2

Available Stock Sizes

203-0500	05"
203-0600	06"
203-0700	07"
203-0800	08"
203-0900	09"
203-1000	10"
203-1200	12"
203-1400	14"
203-1600	16"
203-1800	18"
203-2000	20"



Flex Duct 5' with collars R8


Available Stock Sizes

207-0500	05"
207-0600	06"
207-0700	07"
207-0800	08"
207-0900	09"
207-1000	10"
207-1200	12"
207-1400	14"
207-1600	16"
207-1800	18"
207-2000	20"

Nylon Zip Ties (50/ bag)

Available in Stock

140-3600	36"
140-4800	48"



NYLON
6/6 V/2
V-2 Flame Rating
Fungus inert
Normal service temp. range: -40°F to 185°F
Test Results*: Nylon-175 lbs.



45 Degree Short Radius Adjustable Elbows C/R

Available Stock Sizes

107-0400	04" 26ga
107-0500	05" 26ga
107-0600	06" 26ga
107-0700	07" 26ga
107-0800	08" 26ga
107-0900	09" 26ga
107-1000	10" 26ga
107-1200	12" 26ga
107-1400	14" 26ga
107-1600	16" 24ga
107-1800	18" 24ga
107-2000	20" 24ga
107-2200	22" 24ga
107-2400	24" 24ga
107-2600	26" 24ga



90 Degree Short Radius Adjustable Elbows C/R

Available Stock Sizes

108-0300	03" 26ga
108-0400	04" 26ga
108-0500	05" 26ga
108-0600	06" 26ga
108-0700	07" 26ga
108-0800	08" 26ga
108-0900	09" 26ga
108-1000	10" 26ga
108-1200	12" 26ga
108-1400	14" 26ga
108-1600	16" 24ga
108-1800	18" 24ga
108-2000	20" 24ga
108-2200	22" 24ga
108-2400	24" 24ga
108-2600	26" 24ga
108-2800	28" 22ga
108-3000	30" 22ga





45 Degree Long Radius Adjustable Elbow C/R

Available Stock Sizes

109-0400	04" 26ga
109-0600	06" 26ga
109-0700	07" 26ga
109-0800	08" 26ga
109-0900	09" 26ga
109-1000	10" 26ga
109-1200	12" 26ga
109-1400	14" 26ga
109-1600	16" 24ga
109-1800	18" 24ga
109-2000	20" 24ga



90 Degree Long Radius Adjustable Elbow C/R

Available Stock Sizes

110-0400	04" 26ga
110-0600	06" 26ga
110-0700	07" 26ga
110-0800	08" 26ga
110-0900	09" 26ga
110-1000	10" 26ga
110-1200	12" 26ga
110-1400	14" 26ga
110-1600	16" 24ga
110-1800	18" 24ga
110-2000	20" 24ga





45 Degree Fixed Short Radius Spiral Elbow Male/Male

Available Stock Sizes

1007-0600	06" 26ga
1007-0800	08" 26ga
1007-1000	10" 26ga
1007-1200	12" 26ga
1007-1400	14" 26ga



90 Degree Fixed Short Radius Spiral Elbow Male/Male

Available Stock Sizes

1008-0600	06" 26ga
1008-0800	08" 26ga
1008-1000	10" 26ga
1008-1200	12" 26ga
1008-1400	14" 26ga
1008-1600	16" 24ga
1008-1800	18" 24ga



45 Degree Fixed Long Radius Spiral Elbow Male/Male

Available Stock Sizes

1009-0600	06" 26ga
1009-0800	08" 26ga
1009-1000	10" 26ga
1009-1200	12" 26ga
1009-1400	14" 26ga



90 Degree Fixed Short Radius Spiral Elbow Male/Male

Available Stock Sizes

1010-0600	06" 26ga
1010-0800	08" 26ga
1010-1000	10" 26ga
1010-1200	12" 26ga
1010-1400	14" 26ga





Aluminum .020 Adjustable 45 Degree Elbow C/R

Available Stock Sizes

111-0600	06"
111-0700	07"
111-0800	08"
111-0900	09"
111-1000	10"
111-1200	12"
111-1400	14"
111-1600	16"



Aluminum .020 Adjustable 90 Degree Elbow C/R

Available Stock Sizes

112-0400	04"
112-0600	06"
112-0800	08"
112-1000	10"
112-1200	12"
112-1400	14"
112-1600	16"



Stainless Steel 304 2B Adjustable 90 Degree Elbow C/R

Available Stock Sizes

113-0600	06"
113-0800	08"
113-1000	10"
113-1200	12"
113-1400	14"
113-1600	16"



1" Circle Line Adjustable 90 Degree Elbow C/R (All Sizes O.D)

Available Stock Sizes (Corona)

1012-0800	08" 26ga
1012-1000	10" 26ga
1012-1200	12" 26ga
1012-1400	14" 26ga
1012-1600	16" 24ga
1012-1800	18" 24ga
1012-2000	20" 24ga





Twyes 04" thru 12"

Available Stock Sizes

116-040404	TY 04x04x04 26ga
116-050404	TY 05x04x04 26ga
116-060303	TY 06x03x03 26ga
116-060404	TY 06x04x04 26ga
116-060505	TY 06x05x05 26ga
116-060606	TY 06x06x06 26ga
116-070505	TY 07x05x05 26ga
116-070605	TY 07x06x05 26ga
116-070606	TY 07x06x06 26ga
116-070706	TY 07x07x06 26ga
116-070707	TY 07x07x07 26ga
116-080404	TY 08x04x04 26ga
116-080605	TY 08x06x05 26ga
116-080606	TY 08x06x06 26ga
116-080705	TY 08x07x05 26ga
116-080706	TY 08x07x06 26ga
116-080707	TY 08x07x07 26ga
116-080806	TY 08x08x06 26ga
116-080807	TY 08x08x07 26ga
116-080808	TY 08x08x08 26ga
116-090606	TY 09x06x06 26ga
116-090706	TY 09x07x06 26ga
116-090707	TY 09x07x07 26ga
116-090806	TY 09x08x06 26ga
116-090807	TY 09x08x07 26ga
116-090808	TY 09x08x08 26ga
116-090907	TY 09x09x07 26ga
116-090908	TY 09x09x08 26ga
116-090909	TY 09x09x09 26ga
116-100606	TY 10x06x06 26ga
116-100707	TY 10x07x07 26ga
116-100806	TY 10x08x06 26ga
116-100807	TY 10x08x07 26ga
116-100808	TY 10x08x08 26ga
116-100906	TY 10x09x06 26ga
116-100907	TY 10x09x07 26ga
116-100908	TY 10x09x08 26ga
116-100909	TY 10x09x09 26ga
116-101006	TY 10x10x06 26ga
116-101007	TY 10x10x07 26ga
116-101008	TY 10x10x08 26ga
116-101009	TY 10x10x09 26ga
116-101010	TY 10x10x10 26ga




116-120806	TY 12x08x06 26ga
116-120807	TY 12x08x07 26ga
116-120808	TY 12x08x08 26ga
116-120906	TY 12x09x06 26ga
116-120907	TY 12x09x07 26ga
116-120908	TY 12x09x08 26ga
116-120909	TY 12x09x09 26ga
116-121006	TY 12x10x06 26ga
116-121007	TY 12x10x07 26ga
116-121008	TY 12x10x08 26ga
116-121009	TY 12x10x09 26ga
116-121010	TY 12x10x10 26ga
116-121206	TY 12x12x06 26ga
116-121207	TY 12x12x07 26ga
116-121208	TY 12x12x08 26ga
116-121209	TY 12x12x09 26ga
116-121210	TY 12x12x10 26ga
116-121212	TY 12x12x12 26ga



Twye 12" thru 20"

Available Stock Sizes

116-141008	TY 14x10x08 26ga
116-141009	TY 14x10x09 26ga
116-141010	TY 14x10x10 26ga
116-141206	TY 14x12x06 26ga
116-141207	TY 14x12x07 26ga
116-141208	TY 14x12x08 26ga
116-141209	TY 14x12x09 26ga
116-141210	TY 14x12x10 26ga
116-141212	TY 14x12x12 26ga
116-141406	TY 14x14x06 26ga
116-141407	TY 14x14x07 26ga
116-141408	TY 14x14x08 26ga
116-141409	TY 14x14x09 26ga
116-141410	TY 14x14x10 26ga
116-141412	TY 14x14x12 26ga
116-141414	TY 14x14x14 26ga
116-161210	TY 16x12x10 24ga
116-161212	TY 16x12x12 24ga
116-161406	TY 16x14x06 24ga
116-161408	TY 16x14x08 24ga
116-161409	TY 16x14x09 24ga
116-161410	TY 16x14x10 24ga
116-161412	TY 16x14x12 24ga
116-161414	TY 16x14x14 24ga
116-161606	TY 16x16x06 24ga
116-161608	TY 16x16x08 24ga
116-161610	TY 16x16x10 24ga
116-161612	TY 16x16x12 24ga
116-161614	TY 16x16x14 24ga
116-161616	TY 16x16x16 24ga
116-181210	TY 18x12x10 24ga
116-181212	TY 18x12x12 24ga
116-181410	TY 18x14x10 24ga
116-181412	TY 18x14x12 24ga
116-181414	TY 18x14x14 24ga
116-181606	TY 18x16x06 24ga
116-181608	TY 18x16x08 24ga
116-181610	TY 18x16x10 24ga
116-181612	TY 18x16x12 24ga
116-181614	TY 18x16x14 24ga
116-181616	TY 18x16x16 24ga
116-181806	TY 18x18x06 24ga



116-181808	TY 18x18x08 24ga
116-181810	TY 18x18x10 24ga
116-181812	TY 18x18x12 24ga
116-181814	TY 18x18x14 24ga
116-181816	TY 18x18x16 24ga
116-181818	TY 18x18x18 24ga
116-201414	TY 20x14x14 24ga
116-201610	TY 20x16x10 24ga
116-201612	TY 20x16x12 24ga
116-201614	TY 20x16x14 24ga
116-201616	TY 20x16x16 24ga
116-201808	TY 20x18x08 24ga
116-201810	TY 20x18x10 24ga
116-201812	TY 20x18x12 24ga
116-201814	TY 20x18x14 24ga
116-201816	TY 20x18x16 24ga
116-201818	TY 20x18x18 24ga
116-202008	TY 20x20x08 24ga .
116-202010	TY 20x20x10 24ga
116-202012	TY 20x20x12 24ga
116-202014	TY 20x20x14 24ga
116-202016	TY 20x20x16 24ga
116-202018	TY 20x20x18 24ga
116-202020	TY 20x20x20 24ga



Twye 22"-24"

Available Stock Sizes

116-221612	TY 22x16x12 24ga
116-221614	TY 22x16x14 24ga
116-221616	TY 22x16x16 24ga
116-221810	TY 22x18x10 24ga
116-221812	TY 22x18x12 24ga
116-221814	TY 22x18x14 24ga
116-221816	TY 22x18x16 24ga
116-221818	TY 22x18x18 24ga
116-222010	TY 22x20x10 24ga
116-222012	TY 22x20x12 24ga
116-222014	TY 22x20x14 24ga
116-222016	TY 22x20x16 24ga
116-222018	TY 22x20x18 24ga
116-222020	TY 22x20x20 24ga
116-222208	TY 22x22x08 24ga
116-222210	TY 22x22x10 24ga
116-222212	TY 22x22x12 24ga
116-222214	TY 22x22x14 24ga
116-222216	TY 22x22x16 24ga
116-222218	TY 22x22x18 24ga
116-222220	TY 22x22x20 24ga
116-222222	TY 22x22x22 24ga
116-241616	TY 24x16x16 24ga
116-241814	TY 24x18x14 24ga
116-241816	TY 24x18x16 24ga
116-241818	TY 24x18x18 24ga
116-242010	TY 24x20x10 24ga
116-242012	TY 24x20x12 24ga
116-242014	TY 24x20x14 24ga



116-242016	TY 24x20x16 24ga
116-242018	TY 24x20x18 24ga
116-242020	TY 24x20x20 24ga
116-242210	TY 24x22x10 24ga
116-242212	TY 24x22x12 24ga
116-242214	TY 24x22x14 24ga
116-242216	TY 24x22x16 24ga
116-242218	TY 24x22x18 24ga
116-242220	TY 24x22x20 24ga
116-242222	TY 24x22x22 24ga



45 Degree Saddle Taps on Round

Available Stock Sizes


117-0500	05" on 07" 26ga
117-0600	06" on 10" 26ga
117-0700	07" on 09" 26ga
117-0800	08" on 10" 26ga
117-0900	09" on 12" 26ga
117-1000	10" on 12" 26ga
117-1200	12" on 14" 26ga
117-1400	14" on 16" 26ga
117-1600	16" on 18" 24ga
117-1800	18" on 20" 24ga
117-2000	20" on 22" 24ga



45 Degree Saddle Taps on Flat

Available Stock Sizes

118-0500	05" 26ga
118-0600	06" 26ga
118-0700	07" 26ga
118-0800	08" 26ga
118-0900	09" 26ga
118-1000	10" 26ga
118-1200	12" 26ga
118-1400	14" 26ga
118-1600	16" 24ga
118-1800	18" 24ga
118-2000	20" 24ga





Ceiling Box w/ Plaster Ground

Available Stock Sizes


119-060604	06"x06"x04"
119-060605	06"x06"x05"
119-060606	06"x06"x06"
119-080805	08"x08"x05"
119-080806	08"x08"x06"
119-080807	08"x08"x07"
119-080808	08"x08"x08"
119-101006	10"x10"x06"
119-101007	10"x10"x07"
119-101008	10"x10"x08"
119-101009	10"x10"x09"
119-101010	10"x10"x10"
119-121206	12"x12"x06"
119-121207	12"x12"x07"
119-121208	12"x12"x08"
119-121209	12"x12"x09"
119-121210	12"x12"x10"
119-121212	12"x12"x12"
119-141408	14"x14"x08"
119-141409	14"x14"x09"
119-141410	14"x14"x10"
119-141412	14"x14"x12"
119-141414	14"x14"x14"
119-161612	16"x16"x12"
119-161614	16"x16"x14"
119-161616	16"x16"x16"
119-181812	18"x18"x12"
119-181814	18"x18"x14"
119-181816	18"x18"x16"
119-181818	18"x18"x18"



Round Neck Adaptors

Available Stock Sizes

122-060604	06"x06"x04"	122-161610	16"x16"x10"
122-060605	06"x06"x05"	122-161612	16"x16"x12"
122-060606	06"x06"x06"	122-161614	16"x16"x14"
122-080805	08"x08"x05"	122-161616	16"x16"x16"
122-080806	08"x08"x06"	122-181812	18"x18"x12"
122-080807	08"x08"x07"	122-181814	18"x18"x14"
122-080808	08"x08"x08"	122-181816	18"x18"x16"
122-101006	10"x10"x06"	122-181818	18"x18"x18"
122-101007	10"x10"x07"	122-202010	20"x20"x10"
122-101008	10"x10"x08"	122-202012	20"x20"x12"
122-101009	10"x10"x09"	122-202014	20"x20"x14"
122-101010	10"x10"x10"	122-202016	20"x20"x16"
122-121206	12"x12"x06"	122-202018	20"x20"x18"
122-121207	12"x12"x07"	122-202020	20"x20"x20"
122-121208	12"x12"x08"	122-222206	22"x22"x06"
122-121209	12"x12"x09"	122-222208	22"x22"x08"
122-121210	12"x12"x10"	122-222210	22"x22"x10"
122-121212	12"x12"x12"	122-222212	22"x22"x12"
122-141408	14"x14"x08"	122-222214	22"x22"x14"
122-141410	14"x14"x10"	122-222216	22"x22"x16"
122-141412	14"x14"x12"	122-222218	22"x22"x18"
122-141414	14"x14"x14"	122-222220	22"x22"x20"





Return Air Cans w/ Plaster Ground

Available Stock Sizes

120-2012	20.25"x12.25" 26ga
120-2014	20.25"x14.25" 26ga
120-2020	20.25"x20.25" 26ga
120-2222	22.25"x22.25" 26ga
120-2412	24.25"x12.25" 26ga
120-2414	24.25"x14.25" 26ga
120-2416	24.25"x16.25" 26ga
120-2424	24.25"x24.25" 26ga
120-3012	30.25"x12.25" 26ga
120-3014	30.25"x14.25" 26ga
120-3016	30.25"x16.25" 26ga
120-3020	30.25"x20.25" 26ga




Floor Boxes w/ Plaster Ground

Available Stock Sizes

121-080405	08"x04"x05" 30ga
121-080406	08"x04"x06" 30ga
121-080606	08"x06"x06" 30ga
121-100405	10"x04"x05" 30ga
121-100406	10"x04"x06" 30ga
121-100606	10"x06"x06" 30ga
121-100607	10"x06"x07" 30ga
121-100608	10"x06"x08" 30ga
121-100808	10"x08"x08" 30ga
121-120406	12"x04"x06" 30ga
121-120407	12"x04"x07" 30ga
121-120606	12"x06"x06" 30ga
121-120607	12"x06"x07" 30ga
121-120608	12"x06"x08" 30ga
121-120807	12"x08"x07" 30ga
121-120808	12"x08"x08" 30ga
121-120810	12"x08"x10" 30ga
121-140607	14"x06"x07" 26ga
121-140608	14"x06"x08" 26ga
121-140808	14"x08"x08" 26ga
121-140809	14"x08"x09" 26ga
121-140810	14"x08"x10" 26ga
121-141010	14"x10"x10" 26ga





Sure Fit Reducers 08" Tall Female/Male

Available Stock Sizes

123-0403	04"x03" 26ga	123-0908	09"x08" 26ga	123-1614	16"x14" 24ga
123-0503	05"x03" 26ga	123-1006	10"x06" 26ga	123-1814	18"x14" 24ga
123-0504	05"x04" 26ga	123-1007	10"x07" 26ga	123-1816	18"x16" 24ga
123-0604	06"x04" 26ga	123-1008	10"x08" 26ga	123-2016	20"x16" 24ga
123-0605	06"x05" 26ga	123-1009	10"x09" 26ga	123-2018	20"x18" 24ga
123-0705	07"x05" 26ga	123-1208	12"x08" 26ga	123-2216	22"x16" 24ga
123-0706	07"x06" 26ga	123-1209	12"x09" 26ga	123-2218	22"x18" 24ga
123-0806	08"x06" 26ga	123-1210	12"x10" 26ga	123-2220	22"x20" 24ga
123-0807	08"x07" 26ga	123-1410	14"x10" 26ga	123-2416	24"x16" 24ga
123-0906	09"x06" 26ga	123-1412	14"x12" 26ga	123-2418	24"x18" 26ga
123-0907	09"x07" 26ga	123-1612	16"x12" 24ga	123-2420	24"x20" 24ga
				123-2422	24"x22" 24ga

Short Cone Reducers 08" Tall

Available Stock Sizes

124-0403	04"x03" 26ga	124-0908	09"x08" 26ga	124-1614	16"x14" 24ga
124-0503	05"x03" 26ga	124-1006	10"x06" 26ga	124-1812	18"x12" 24ga
124-0504	05"x04" 26ga	124-1007	10"x07" 26ga	124-1814	18"x14" 24ga
124-0604	06"x04" 26ga	124-1008	10"x08" 26ga	124-1816	18"x16" 24ga
124-0605	06"x05" 26ga	124-1009	10"x09" 26ga	124-2014	20"x14" 24ga
124-0705	07"x05" 26ga	124-1208	12"x08" 26ga	124-2016	20"x16" 24ga
124-0706	07"x06" 26ga	124-1209	12"x09" 26ga	124-2018	20"x18" 24ga
124-0806	08"x06" 26ga	124-1210	12"x10" 26ga	124-2218	22"x18" 24ga
124-0807	08"x07" 26ga	124-1410	14"x10" 26ga	124-2220	22"x20" 24ga
124-0906	09"x06" 26ga	124-1412	14"x12" 26ga	124-2416	24"x16" 24ga
124-0907	09"x07" 26ga	124-1612	16"x12" 24ga	124-2418	24"x18" 24ga
				124-2420	24"x20" 24ga
				124-2422	24"x22" 24ga

Pancake Reducers

Available Stock Sizes

125-0403	04"x03" 26ga	125-1007	10"x07" 26ga	125-1816	18"x16" 26ga
125-0503	05"x03" 26ga	125-1008	10"x08" 26ga	125-2016	20"x16" 26ga
125-0504	05"x04" 26ga	125-1009	10"x09" 26ga	125-2018	20"x18" 26ga
125-0604	06"x04" 26ga	125-1208	12"x08" 26ga	125-2220	22"x20" 26ga
125-0605	06"x05" 26ga	125-1209	12"x09" 26ga	125-2422	24"x22" 26ga
125-0706	07"x06" 26ga	125-1210	12"x10" 26ga		
125-0806	08"x06" 26ga	125-1410	14"x10" 26ga		
125-0807	08"x07" 26ga	125-1412	14"x12" 26ga		
125-0907	09"x07" 26ga	125-1612	16"x12" 26ga		
125-0908	09"x08" 26ga	125-1614	16"x14" 26ga		
125-1006	10"x06" 26ga	125-1814	18"x14" 26ga		



Dove Tail Start Collars

Available Stock Sizes

126-0400	04" 26ga
126-0500	05" 26ga
126-0600	06" 26ga
126-0700	07" 26ga
126-0800	08" 26ga
126-0900	09" 26ga
126-1000	10" 26ga
126-1200	12" 26ga
126-1400	14" 26ga
126-1600	16" 24ga
126-1800	18" 24ga
126-2000	20" 24ga
126-2200	22" 24ga
126-2400	24" 24ga
126-2600	26" 24ga



Spin In Collars

Available Stock Sizes

127-0500	05" 26ga
127-0600	06" 26ga
127-0700	07" 26ga
127-0800	08" 26ga
127-0900	09" 26ga
127-1000	10" 26ga
127-1200	12" 26ga
127-1400	14" 26ga
127-1600	16" 24ga
127-1800	18" 24ga
127-2000	20" 24ga
127-2200	22" 24ga
127-2400	24" 24ga



Storm Collars

Available Stock Sizes

128-0600	06" 26ga
128-0800	08" 26ga
128-1000	10" 26ga
128-1200	12" 26ga
128-1400	14" 26ga
128-1600	16" 24ga
128-1800	18" 24ga
128-2000	20" 24ga
128-2200	22" 24ga






Jiffy Dampers w/ Hardware

Available Stock Sizes

129-0500	05" 26ga
129-0600	06" 26ga
129-0700	07" 26ga
129-0800	08" 26ga
129-0900	09" 26ga
129-1000	10" 26ga
129-1200	12" 26ga
129-1400	14" 26ga
129-1600	16" 24ga
129-1800	18" 24ga
129-2000	20" 24ga



Sleeve Dampers w/ 3/8" Rod & 1.5" Stand Off

Available Stock Sizes

130-0500	05" 26ga
130-0600	06" 26ga
130-0700	07" 26ga
130-0800	08" 26ga
130-0900	09" 26ga
130-1000	10" 26ga
130-1200	12" 26ga
130-1400	14" 26ga
130-1600	16" 24ga
130-1800	18" 24ga
130-2000	20" 24ga






Conductor Flashings w/ Hot soldered seams

Available Stock Sizes

133-0400	04"
133-0500	05"
133-0600	06"
133-0700	07"
133-0800	08"
133-0900	09"
133-1000	10"
133-1200	12"
133-1400	14"
133-1600	16"
133-1800	18"
133-2000	20"
133-2200	22"



T-Top Flashings w/ Bird Screen & Hot Soldered Seam

Available Stock Sizes

134-0400	04"
134-0700	07"
134-0800	08"
134-1000	10"
134-1200	12"





Male End Caps

Available Stock Sizes

131-0500	05" 26ga
131-0600	06" 26ga
131-0700	07" 26ga
131-0800	08" 26ga
131-0900	09" 26ga
131-1000	10" 26ga
131-1200	12" 26ga
131-1400	14" 26ga
131-1600	16" 24ga
131-1800	18" 24ga
131-2000	20" 24ga
131-2200	22" 24ga
131-2400	24" 24ga
131-2600	26" 24ga



Dryer Vent w/ Skirt

Available Stock Sizes

132-0400	Dryer vent 04
----------	---------------



Fresh Air Eyebrow w/ Damper & Birdscreen

Available Stock Sizes

132-0404	04"x04"
132-0606	06"x06"
132-0808	08"x08"
132-1010	10"x10"






Boxed Strap 1.5" x 80' 26ga

Available Stock

135-0001	1.5"x80' 26GA No Holes
135-0002	1.5"x80' 26GA w/ Holes



Sheared 10' Hanger Strap

Available in Stock

135-0003	1" x 10' 20GA
135-0004	1" x 10' 22GA
135-0005	1.5" x 10' 20GA
135-0006	1.5" x 10' 22GA

1" Hanger Strap Buckle w/ 3/8" Hole

Available Stock

135-0009	Strap Buckle 1"x3/8" Dia
----------	--------------------------





12ga Ceiling Wire

Available Stock Lengths (100 ct.)

136-0600	06' 12ga
136-0800	08' 12ga
136-1000	10' 12ga
136-1200	12' 12ga
136-1400	14' 12ga
136-1600	16' 12ga
136-1800	18' 12ga
136-2000	20' 12ga
136-2400	24' 12ga
136-2600	26' 12ga



12ga Ceiling Wire w/ Pin and Clip

Available Stock Lengths (100 ct)

137-0600	06' 12GA
137-0800	08' 12GA
137-1000	10' 12GA
137-1200	12' 12GA



Ceiling Wire Lags

Available in Stock

136-4000	Eyelag 1/4 x 3 1000/Box
----------	-------------------------



136-5000	Eyelag Metal 1/4 x 2
----------	----------------------



.27 Caliber Strip Load

Available in Stock

6000-0019	Yellow Strip Load .27 cal
6000-2000	Red Strip Load .27 cal





BROAN®



Broan Ceiling Fans

Available Stock Sizes		CFM @ .125 sp	Sones	Duct Conn
700-0100	688	50	4.0	03"
700-0200	671	70	6.0	03"
700-0300	A80	80	2.0	04"
700-0400	A110	110	3.0	04"
700-0500	L100	109	0.9	06"
700-0600	L150	157	1.5	06"
700-0700	L200	210	1.7	08"
700-0800	L250	259	2.2	08"
700-0900	L300	308	2.9	08"
700-1000	L400	434	2.3	18 1/2x4 1/2
700-1100	L500	520	3.1	18 1/2x4 1/2
700-1200	L700	704	4.6	18 1/2x4 1/2
700-1300	L900	901	4.1	12x8
700-1400	XB80*	80	0.3	04" or 06"
700-1500	XB110*	110	0.3	06"

* Energy Star Qualified

Broan In-Line Adaptor Kits for L Series Ceiling Fans

Available in Stock

701-0100	06 (L100-150)
701-0200	08" (L200-300)
701-0300	(L400-700)
701-0400	(L900)



Broan Roof and Wall Cap

Available in Stock

702-0100	Roof Cap-(634)
702-0200	Wall Cap-(639)





Type B High Wind Gas Vent

Available Stock Sizes

804-0001	04"
805-0001	05"
806-0001	06"
808-0001	08"
810-0001	10"
812-0001	12"
814-0001	14"



Type B Gas Vent Storm Collar

Available Stock Sizes

804-0002	04"
805-0002	05"
806-0002	06"
808-0002	08"
810-0002	10"
812-0002	12"
814-0002	14"



Type B Gas Vent Adjustable Pitch Flashing

Available Stock Sizes

804-0003	04"
805-0003	05"
806-0003	06"
808-0003	08"
810-0003	10"
812-0003	12"
814-0003	14"





SIMPSON

Dura-Vent

Type B Gas Vent Pipe

Available Stock Sizes

804-0004	04"x 06"
804-0005	04"x 12" Adj
804-0006	04"x 12"
804-0007	04"x 18"
804-0008	04"x 24"
804-0009	04"x 36"
804-0010	04"x 48"
804-0011	04"x 60"

805-0004	05"x 06"
805-0005	05"x 12" Adj
805-0007	05"x 18"
805-0008	05"x 24"
805-0009	05"x 36"
805-0010	05"x 48"
805-0011	05"x 60"

806-0004	06"x 06"
806-0005	06"x 12" Adj
806-0006	06"x 12"
806-0007	06"x 18"
806-0008	06"x 24"
806-0009	06"x 36"
806-0010	06"x 48"
806-0011	06"x 60"

808-0004	08"x 12" Adj
808-0005	08"x 12"
808-0006	08"x 18"
808-0007	08"x 24"
808-0008	08"x 36"
808-0009	08"x 48"
808-0010	08"x 60"

810-0004	10"x 12" Adj
810-0005	10"x 18"
810-0006	10"x 36"

812-0004	12"x 12" Adj
812-0005	12"x 18"
812-0006	12"x 36"

814-0004	14"x 18"
814-0005	14"x 36"





SIMPSON

Dura-Vent

Type B Gas Vent Adjustable 45/60 Deg Elbows

804-0012	04"
805-0012	05"
806-0012	06"
808-0011	08"
810-0007	10"
812-0007	12"
814-0006	14"



Type B Gas Vent Adjustable 90 Deg Elbows

804-0013	04"
805-0013	05"
806-0013	06"
808-0012	08"
810-0008	10"



Type B Gas Vent Standard Tee's

804-0014	04"
805-0014	05"
806-0014	06"
808-0013	08"
810-0009	10"
812-0008	12"



Type B Gas Vent Caps

804-0015	04"
805-0015	05"
806-0015	06"
808-0014	08"
810-0010	10"
812-0009	12"
814-0007	14"



Type B Gas Vent Wall Straps

804-0016	04"
806-0016	06"
808-0015	08"



Type B Gas Vent Wall Thimbles

804-0017	04"
806-0017	06"
808-0016	08"





Duro Dyne Duct Access Doors w/ Hinge and Cam Lock

Available Stock Sizes

1000-0606	06"x06"
1000-0808	08"x08"
1000-1010	10"x10"
1000-1212	12"x12"
1000-1414	14"x14"
1000-1616	16"x16"
1000-1818	18"x18"
1000-2020	20"x20"



Duro Dyne Submarine Round Duct Acces Doors

Availabe Stock Sizes (8x4 Door)

1001-0001	05"-06" Rd
1001-0002	07"-09" Rd
1001-0003	10"-11" Rd
1001-0004	12"-14" Rd

Available Stock Sizes (12x8 Door)

1001-0005	10"-11" Rd
1001-0006	12"-14" Rd
1001-0007	15"-16" Rd
1001-0008	17"-18" Rd
1001-0009	19"-20" Rd

Available Stock Sizes (16x12 Door)

1001-0011	17"-18" Rd
1001-0012	19"-20" Rd
1001-0013	21"-22" Rd
1001-0014	23"-24" Rd



Duro Dyne Fire Rated Access Doors (2000 degrees)

Available Stock Sizes

1002-0001	10"x6"
1002-0002	12"x8"
1002-0003	18"x14"



Air Products and Controls Duct Smoke Detector

Available in Stock

2000-0001	Duct Smoke Detector
-----------	---------------------



Air Products and Controls Weather Tite Duct Smoke Detector

Available in Stock

2000-0002	Weather Tight
-----------	---------------



Air Products and Controls Universal Pick Up Tubes

Available in Stock

2000-0003	Universal Tube
-----------	----------------



Stat Wire

Available in Stock

5000-2000	18ga 2 Strand 500' Roll
5000-3000	18ga 3 Strand 500' Roll
5000-4000	18ga 4 Strand 250' Roll
5000-5000	18ga 5 Strand 250' Roll
5000-6000	18ga 6 Strand 250' Roll
5000-7000	18ga 7 Strand 250' Roll
5000-8000	18ga 8 Strand 250' Roll





Design Polymerics Duct Sealers

Available in Stock

300-0100	DP1010 gallon
300-0300	DP1020 gallon
300-1500	DP1090 gallon

300-0200	DP1010 tubes
300-0400	DP1020 tubes
300-1400	DP1090 tubes



Design Polymerics Spray Adhesive

Available in Stock

300-0600	DP77
----------	------



Design Polymerics Leeds Blue Wrap

Available in Stock

300-1300	Duct Wrap Blue 36"
----------	--------------------



3M Metal Sealer

Available in Stock

300-0800	Metal Solder 3M 5oz
----------	---------------------



HVAC Grade Silicone

Available in Stock

300-0900	Aluminum
300-1000	Clear
300-1100	White

300-1200	2" Brushes 36/box
----------	-------------------

301-0100	Silver Duct Tape UL181
----------	------------------------

301-0200	FSK 3x150' Rolls 16rolls
----------	--------------------------

301-0300	Red Flag Tape
----------	---------------

301-0330	Blue Flag Tape
----------	----------------

301-0400	3" Printed Foil Tape
----------	----------------------





Zip Screws

Available in Stock

3000-0001	#8x1/2" 1000/Pk
3000-0002	#8x1/2" 5000/Pk
3000-0003	#8x1/2" 15,000/pk
3000-0004	#8x3/4" 1000/Pk
3000-0005	#8x3/4" 4000/Pk
3000-0006	#8x3/4" 10,000/Pk
3000-0007	#8x1" 1000/Pk
3000-0008	#8x1.5" 1000/Pk
3000-0009	#8x1" 8000/pk
3000-0010	#8x2" 1000/Pk
3000-0011	#8x2" 3000/Pk
3000-0012	#10x3/4" 3000/pk
3000-0013	#10x3/4" 1000/pk
3000-0014	#10x3/4" 8000/pk
3000-0015	#10x1" 5000/Pk
3000-0016	#10x2" 2000/Pk



Tek- Self Tapping Screws

Available in Stock

3001-0001	#8x1/2" 1000/Pk
3001-0002	#10x3/4" 3000/Pk
3001-0003	#10x3/4" 1000/Pk
3001-0004	#10x3/4" 8000/Pk
3001-0005	#10x1" 1000/Pk
3001-0006	#10x1 1/2" 1000/pk
3001-0007	#10x1.5" 3000/pk
3001-0008	#10x1/2" 1000/Pk
3001-0010	#10x1" 5000/pk
3001-0011	#10x2" 2000/Pk
3001-0012	#14x3" 1000/Bx





Strut & Hardware

Available in Stock

4000-0001	Shallow Strut 1 3/16"x1 5/8"x10' Slotted
4000-0002	Deep Strut 1-5/8"x10' Slotted



4000-0003	All Thread 1/2"x10'
4000-0004	All Thread 3/8"x10'



4000-0005	Hex Bolt 1/2"x1 100/Box
4000-0006	Hex Bolt 3/8"x1" 100/Box
4000-0066	Hex Bolt 3/8"x1.5" 100/Box



4000-0007	Hex Nut 1/2" 100/Box
4000-0008	Hex Nut 3/8" 100/Box



4000-0011	Spring Nut 1/2" 100/Box
4000-0012	Spring Nut 3/8" 100/Box

4000-0013	Flat Washer 1/2" 100/Box
4000-0014	Flat Washer 3/8" 100/Box
4000-0015	Fender Washer 3/8" 100/BX

4000-0016	All Thread Coupler 1/2"
4000-0017	All Thread Coupler 3/8"

4000-0018	Angle Bracket 45 Degree
4000-0019	Angle Bracket 90 Degree



4000-0020	Beam Clamp 1/2" 100/Box
4000-0021	Beam Clamp 3/8" 100/Box
4000-00211	U Bolt Beam Clamp for 1-5/8" Strut



4000-0022	Bottom All Thread Anchor 3/8"x2 1/2"
4000-0023	Side All Thread Anchor 3/8"x2 1/2"



4000-0024	Lag Bolt 3/8"x3"
4000-0025	Lag Bolt 1/2"x3"

138-0001	Angle 1.5"x1.5"x10' 16GA
138-0002	Angle 1.5"x1.5"x10' w/Holes 16ga



Tools & Paints

Available in Stock

6000-0001	Snips Green Offset
6000-0002	Snips Green-Right
6000-0003	Snips Red-Left Straight
6000-0004	Snips Red Offset

6000-0006	Serrated Duct Knife
-----------	---------------------

6000-0007	Hammer 18 oz
-----------	--------------

6000-0008	Zip Tie Gun
-----------	-------------

6000-0011	Offset Hand Seamer
-----------	--------------------

6000-0010	Hand Notcher
-----------	--------------

6000-0012	Drill Chuck 1/4
-----------	-----------------

6000-0013	Drill Chuck 5/16
-----------	------------------

6000-0015	Dividers 18
-----------	-------------

6000-0016	Dividers 24
-----------	-------------

6000-0014	Rope 3/8x50'
-----------	--------------

5001-1000	Saw Blade 6" L 18 TPI
-----------	-----------------------

5001-2000	Saw Blade 6" L 24 TPI
-----------	-----------------------

5001-3000	Saw Blade 6" L 14 TPI
-----------	-----------------------

5001-4000	Saw Blade 6" L 6 TPI
-----------	----------------------

5001-5000	Saw Blade 12" L 6 TPI
-----------	-----------------------

5001-6000	Saw Blade 6" L 10 TPI
-----------	-----------------------

5001-7000	Saw Blade 8" L 10/14 TPI
-----------	--------------------------

8000-0100	Flat Black Paint
-----------	------------------

8000-0200	White Paint
-----------	-------------

8000-0400	Orange Upside Down Paint
-----------	--------------------------

8000-0500	Clear Upside Down Paint
-----------	-------------------------

8000-0600	Blue Upside Down Paint
-----------	------------------------

8000-0700	Green Upside Down Paint
-----------	-------------------------





John Manville Duct Wrap

Available in Stock

900-0136	9" Cut Wrap 1"x36"x100' roll
----------	------------------------------



John Manville Foil Face Duct Wrap

Available in Stock

900-1548	FSK Wrap 1 1/2"x48"x100' Roll R4.2
900-0348	FSK Wrap 3"x48"x50' Roll R8



Insulation Wire

5000-1000	Wire, Stone 18GA
-----------	------------------


Notes

[illegible]


AIR HANDLERS SUPPLY IS PROUD TO PARTNER WITH



Fans • Blowers • Ventilators • Gravity Vents



Air Distribution • Air Control • VAV Terminal Units • Electric Duct Heaters •
Duct Silences • Engineered Comfort Fan Coil Units • Thermal Corp Air Handlers





Stocking Warehouse (Anaheim)
2544 E. Miraloma Way
Anaheim, Ca. 92806

Manufacturing (Corona)
1693 Rimpau Ave.
Corona, Ca. 92881

PH: 714-422-0760

Fax: 714-632-1685